

Developing Individual Human Exposure Estimates for Individual DBPs

Developing Exposure Estimates

Draft Final Report, Revision 1

March 8, 2002

Prepared by: Charles R. Wilkes¹, Andrea D. Mason, Laura L. Niang, and Harry E. Rector
Wilkes Technologies, Inc.
10126 Parkwood Terrace
Bethesda, MD 20814

Fred W. Power¹, Andy M. Tsang, Peter M. Stephan, and Lyn S. Harrison
Anteon Corporation
4220 Maryland Parkway
Las Vegas, NV 89119

Jerry N. Blancato and Stephen C. Hern
Human Exposure Research Branch
U.S. Environmental Protection Agency
Las Vegas, Nevada 89193

Prepared for: National Center for Environmental Assessment
U.S. Environmental Protection Agency
26 W. Martin Luther King Drive
Cincinnati, OH 45268

EPA Project Officer: John Lipscomb

GSA Contract No. GS-10F-0154K

¹ Primary authors

Notice

This is the final report of a three-task effort to model exposures to disinfection byproducts for a typical three-person US family. The research presented herein was compiled under the following tasks: Task 1, Identifying an Appropriate Mathematical Exposure Model and Developing Model Parameters; Task 2, Developing Individual Human Exposure Estimates; and Task 3, Report on Sensitivity and Uncertainty Analysis.

The study conducted and described in this report is meant to demonstrate route specific exposure and uptake of 15 relatively common disinfection byproducts. For many of the chemicals evaluated in this report, there are significant gaps in the understanding of the specific chemical parameters impacting exposure and uptake, such as the overall mass transfer coefficients, skin permeability rates and partition coefficients. In some cases the validity of these parameter estimates are not well understood. This document presents a combination of approaches based on best available data and methods, primarily from peer-reviewed publications. Any new data or advances in methods should be considered when using the results of this analysis.

Table of Contents

1.0	Introduction.....	1
1.1	<i>Project Objectives</i>	2
2.0	Model Selection	3
2.1	<i>Exposure and Dose Model</i>	3
2.2	<i>Pharmacokinetic Model for Estimation of Relevant Dose</i>	5
2.2.1	Physiologically Based Pharmacokinetic Modeling.....	6
2.2.2	The Exposure Related Dose Estimating Model (ERDEM).....	6
2.2.3	The ERDEM Front End	7
2.2.4	Exposure Time History Input.....	7
3.0	Model Parameters	9
3.1	<i>Volatilization Model Parameters</i>	9
3.1.1	Method for Estimating Overall Mass Transfer Coefficient	11
3.1.2	Literature Review of Chemical Properties	12
3.1.3	Estimating Chemical Properties.....	15
3.2	<i>Behavioral Characteristics</i>	22
3.2.1	Activity Patterns.....	22
3.2.2	Water Use Behaviors for Groups of Interest.....	24
3.3	<i>Ingestion Characteristics</i>	34
3.3.1	Available Data Sources.....	34
3.3.2	Ingestion Behavior for the Three Populations: Results of Analysis	36
3.4	<i>Building Characteristics</i>	38
3.4.1	Representation of Household Volumes.....	38
3.4.2	Representation of Whole House Air Exchange Rates and Interzonal Airflows.....	41
3.4.3	Model Representation of Building.....	43
3.5	<i>Concentrations in Water Supply</i>	43
3.5.1	DBPs (Excluding Bromate)	45
3.5.2	Bromate.....	46
3.5.3	Water Concentrations Selected as Model Inputs	47
3.5.4	Estimated Concentrations in Consumed Tap Water	48
3.6	<i>Physiological Parameters</i>	53
3.6.1	Compartment Volumes by Demographic Group	53
3.6.2	Breathing Rates by Activity and Demographic Group	54
3.6.3	Compartment Blood Flows by Activity and Demographic Group	55
3.6.4	Definition of the Exposure Scenarios for Each Exposure Route	55
3.6.5	Skin Permeability Coefficients for Each Chemical	56
3.6.6	Rate Constants for the Gastro-Intestinal Model for Each Chemical	56
3.6.7	Partition Coefficients for Each Chemical	57
3.6.8	Metabolism Pathways and Rate Constants	58
3.6.9	Elimination Parameters	59
3.7	<i>Uptake Calculations</i>	59
4.0	Modeling Results	61
4.1	<i>Model Execution</i>	61

4.2	<i>Exposure and Uptake Modeling Results</i>	61
4.2.1	Analysis of Results of Water Use Behavior	64
4.2.2	Uptake Modeling Results	64
4.2.3	Analysis of the Impact of the Uncertainty in the Dermal Parameters.....	129
4.2.4	Discussion of Uptake Modeling Results	133
4.3	<i>Pharmacokinetic Modeling Results</i>	136
4.3.1	Meaning of Exposure Time Histories	136
4.3.2	Choosing Dose Metrics	137
4.3.3	Variability of PBPK Model Results Due to Variability of Exposure Time Histories.....	137
5.0	Sensitivity Analysis	145
5.1	<i>Overview</i>	145
5.2	<i>Methods</i>	146
5.2.1	Sensitivity Analysis Framework	146
5.2.2	Model Parameters	147
5.2.3	Dose Metrics in Sensitivity Analysis	149
5.3	<i>Results</i>	150
5.3.1	Results of Sensitivity Analysis Using TEM.....	150
5.3.2	Results of Sensitivity Analysis Using ERDEM	150
5.4	<i>Discussion</i>	150
5.4.1	Discussion on Sensitivity Analysis Using TEM	151
5.4.2	Discussion on Sensitivity Analysis Using EDREM.....	152
5.4.3	Other Model Sensitivity Issues	152
5.4.4	Conclusions.....	153
6.0	Quality Assurance	189
7.0	References:.....	193
Appendix A: Figures Presenting Results of Pharmacokinetic Modeling.....		A-1

List of Tables

Table 1.	List of Chemicals for Exposure Assessment.....	2
Table 2.	Physical Properties of Chemicals of Interest	13
Table 3.	Data Gaps for Chemical Properties.....	15
Table 4.	Estimated Values for Liquid Phase Diffusivity, Gas Phase Diffusivity, and Dimensionless Henry's Law Constant	17
Table 5.	Predictor Chemicals for DBPs used to Estimate Mass Transfer Coefficients	19
Table 6:	Estimated Values for Overall Mass Transfer Coefficient (K_{OLA})	21
Table 7.	Shower Frequency Values from NHAPS and REUWS Analyses	25
Table 8.	Summary Statistics for Shower Duration, Volume and Flowrate from REUWS Analyses.....	25
Table 9.	Selected Model Parameters for Showers.....	25
Table 10.	Bath Frequency and Duration Values from NHAPS Analyses.....	26
Table 11.	Bath Volume and Flowrate Values from REUWS Analyses.....	26
Table 12.	Selected Model Parameters for Bathing.....	26
Table 13.	Frequency of Clothes Washer Use for 3-Person Households: RECS	27
Table 14.	Typical Clothes Washer Parameters: Based on REUWS and Experimental Data.....	28
Table 15.	Selected Model Parameters for Clothes Washer Use.....	29
Table 16.	Frequency of Dishwasher Use for 3-person Households: RECS, 1997	29
Table 17.	Manufacturer Supplied Dishwasher Information Summary	30
Table 18.	Selected Model Parameters for Dishwasher Use	31
Table 19.	Summary of Reported Toilet Use Characteristics from Literature	31
Table 20.	Statistics for Toilet Flushes from REUWS	32
Table 21.	Selected Parameters for Toilet Use.....	32
Table 22.	Summary of Reported Faucet Frequency and Volume of Use Characteristics in Literature	33
Table 23.	Summary Statistics for Faucet Use from REUWS	33
Table 24.	Selected Parameters for Faucet Use.....	33
Table 25.	Tapwater consumption characteristics	35
Table 26.	Parameters of Fitted Lognormal Distribution for Water Ingestion in the United States.....	36
Table 27.	Comparison of Consumption for Raw Data and Fitted Distributions based on CSFII Data.....	37
Table 28.	Selected Parameters for Tapwater Consumption Modeling Study	37
Table 29.	Analysis of RECS for Total House Volume for 3-Person U.S. Households (RECS 1997).....	39
Table 30.	Dimensions of Water-Use Zones	41
Table 31.	Summary Statistics for US Residential Air Exchange Rates.	42
Table 32.	Summary of DBP Concentrations Reported by Miltner et al. (1990).....	45
Table 33.	Mean and 95th Percentile Concentrations for Identified DBPs	46
Table 34.	Estimated Bromate Formation in Ohio River Water by Ozonation, from Three Studies	47
Table 35.	List of Selected Concentrations for Chemicals in Modeling Study	47
Table 36.	Chemical Properties of Compounds Studied by Howard and Corsi (24° C).....	49
Table 37.	Chemical properties of Compounds Being Modeled (24° C)	49
Table 38.	Summary of Experimental Stripping Efficiencies for Cyclohexane, Toluene , and Acetone.....	49

Table 39.	Estimated Rate Constants from Batterman et. al.	50
Table 40.	Estimated Fractional Volatilization as a Function of Time for THMs for Cold, Room Temperature, and Hot Water.....	50
Table 41.	THM Consumption Scenarios.....	52
Table 42.	Recommended Consumption Model Inputs for the THMs, DCA, and TCA.....	53
Table 43.	Volumes of Compartments by Percentage for PBPK Modeling with ERDEM.....	54
Table 44.	Alveolar Ventilation Rates by Demographic Group and Activity.....	55
Table 45.	Blood Flows to Compartments by Percentage for PBPK Modeling with ERDEM.....	55
Table 46.	Skin Permeability Coefficients.....	56
Table 47.	Gastro-Intestinal Permeation Rate Constants.....	57
Table 48.	Partition Coefficients Required for Fundamental Uptake Modeling in TEM.....	57
Table 49.	Partition Coefficients Used by ERDEM.....	58
Table 50.	Metabolism Rate Constants.....	59
Table 51.	Elimination Rate Constants.....	59
Table 52.	Summary of Chemical Specific Model Parameters.....	62
Table 53.	Summary of Water-Use Behavioral Model Inputs.....	63
Table 54.	Summary of Building Related Model Inputs.....	64
Table 55.	Chloroform Absorbed Dose Results.....	65
Table 56.	BDCM Absorbed Dose Results.....	70
Table 57.	DBCM Absorbed Dose Results.....	75
Table 58.	Bromoform Absorbed Dose Results.....	80
Table 59.	MCA Absorbed Dose Results.....	85
Table 60.	DCA Absorbed Dose Results.....	90
Table 61.	TCA Absorbed Dose Results.....	95
Table 62.	MBA Absorbed Dose Results.....	100
Table 63.	DBA Absorbed Dose Results.....	105
Table 64.	BCA Absorbed Dose Results.....	110
Table 65.	DCAN Absorbed Dose Results.....	115
Table 66.	TCAN Absorbed Dose Results.....	120
Table 67.	DBAN Absorbed Dose Results.....	125
Table 68.	Summary of Absorbed Dose by Route for the 50 th Percentile of the Population.....	134
Table 69.	Summary of Absorbed Dose by Route for the 95 th Percentile of the Population.....	135
Table 70.	Analysis of PBPK Model Results for Bromodichloromethane for the Adult Male, Adult Female, and Male Child.....	138
Table 71.	Statistics for Chloroform Simulations for the Adult Male, Adult Female, and Male Child.....	139
Table 72.	Statistics for Dichloroacetic Acid Simulations for the Adult Male, Adult Female, and Male Child.....	140
Table 73.	Statistics for Trichloroacetic Acid Simulations for the Adult Male, Adult Female, and Male Child.....	141
Table 74.	Analysis of ERDEM Model Simulations for Four Chemicals and Three Demographic Groups.....	142

Table 75. Largest 90 th Percentile Concentrations for Chloroform and Bromodichloromethane for Three Demographic Groups	143
Table 76. Summary of Activity and Water Use Patterns for Adult Male (Ages 15 – 45)	155
Table 77. Summary of Activity and Water Use Patterns for Adult Female (Ages 15 – 45).....	156
Table 78. Summary of Activity and Water Use Patterns for the Child (Age 6)	157
Table 79. Summary of Water Uses on the Study Day by Subject	158
Table 80. Consumption Activity Patterns	159
Table 81. Master List of Water Use Variables in TEM for Sensitivity Analysis.....	160
Table 82. Master List of Environmental and Chemical Parameters in TEM for Sensitivity Analysis	161
Table 83. List of Gender Specific Physiological Parameters in ERDEM for Sensitivity Analysis	162
Table 84. List of General Physiological Parameters in ERDEM for Sensitivity Analysis	163
Table 88. Relative Sensitivity Analysis of Potential and Absorbed Dose for Water Use Parameters for Chloroform.....	173
Table 88. Relative Sensitivity Analysis of Potential and Absorbed Dose for Water Use Parameters for Chloroform (Continued)	174
Table 89. Six Dose Metric Outputs with All Parameters at Baseline Values	174
Table 90. Chloroform - Relative Sensitivity of Absorbed Dose at 24 hrs.....	175
Table 91. Chloroform - Relative Sensitivity of Amount Metabolized in the Liver at 24 hrs.....	175
Table 92. Chloroform - Relative Sensitivity of Area Under the Curve for Liver at 24 hrs.....	176
Table 93. Chloroform - Relative Sensitivity of Area Under the Curve for Testes at 24 hrs.....	177
Table 94. Chloroform - Relative Sensitivity of Peak Concentration in Liver at 7.35 hrs.....	178
Table 95. Chloroform - Relative Sensitivity of Peak Concentration in Testes at 7.35 hrs.	179
Table 96. DCA - Relative Sensitivity of Amount Eliminated in the Liver at 24 hrs.	180
Table 97. DCA - Relative Sensitivity of Area Under the Curve for Liver at 24 hrs.....	181
Table 98. DCA - Relative Sensitivity of Area Under the Curve for Testes at 24 hrs.	182
Table 99. DCA - Relative Sensitivity of Peak Concentration in Liver at 8.75 hrs.	183
Table 100. DCA - Relative Sensitivity of Peak Concentration in Testes at 19.8 hrs.....	184
Table 101. Average Relative Sensitivity Analysis of Absorbed Total Dose for Water Use, Environmental and Chemical Parameters for Chloroform and DCA, Ranked by Absolute Value	185
Table 102. Summary of the Most Sensitive Model Parameters for Each Dose Metric	186
Table 103. Chloroform - Sensitive Input Model Parameters.....	187
Table 104. DCA - Sensitive Input Model Parameters.....	188
Table 105. Categories of Data Sources and Models	189
Table 106. Quality and Sources of Data Used in the Models	190
Table 107. Categories of Model Approaches and Algorithms.....	192
Table 108. Quality of Modeling Approaches and Algorithms.....	192

List of Figures

Figure 1. Estimation of Population Exposures to Compounds Originating in the Water Supply	5
Figure 2. ERDEM System Flow Chart – With Static Lung/Stomach/Intestine Inputs.....	8
Figure 3. Cumulative Distribution Function of Volume for 3-Person Households.....	39
Figure 4. Comparison of RECS Data and the Fitted Probability Density Function of Volume for 3-Person Households.....	40
Figure 5. Schematic Representation of House Interzonal Air Flows.....	44
Figure 6. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed Chloroform Dose for Females, Males and Children.	66
Figure 7. Histogram for Absorbed Dermal Chloroform Dose for Females, Males and Children.	67
Figure 8. Histogram for Absorbed Inhalation Chloroform Dose for Females, Males and Children.	67
Figure 9. Histograms for the Absorbed Chloroform Ingestion Dose for Females, Males and Children.	68
Figure 10. Histogram for the Total Absorbed Chloroform Dose for Females, Males and Children.	69
Figure 11. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed BDCM Dose for Females, Males and Children.	71
Figure 12. Histogram for Absorbed Dermal BDCM Dose for Females, Males and Children.	72
Figure 13. Histogram for Absorbed Inhalation BDCM Dose for Females, Males and Children.	72
Figure 14. Histograms for the Absorbed BDCM Ingestion Dose for Females, Males and Children.	73
Figure 15. Histogram for the Total Absorbed BDCM Dose for Females, Males and Children.	74
Figure 16. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed DBCM Dose for Females, Males and Children.	76
Figure 17. Histogram for Absorbed Dermal DBCM Dose for Females, Males and Children.	77
Figure 18. Histogram for Absorbed Inhalation DBCM Dose for Females, Males and Children.	77
Figure 19. Histograms for the Absorbed DBCM Ingestion Dose for Females, Males and Children.	78
Figure 20. Histogram for the Total Absorbed DBCM Dose for Females, Males and Children.	79
Figure 21. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed Bromoform Dose for Females, Males and Children.	81
Figure 22. Histogram for Absorbed Dermal Bromoform Dose for Females, Males and Children.	82
Figure 23. Histogram for Absorbed Inhalation Bromoform Dose for Females, Males and Children.	82
Figure 24. Histograms for the Absorbed Bromoform Ingestion Dose for Females, Males and Children.	83
Figure 25. Histogram for the Total Absorbed Bromoform Dose for Females, Males and Children.	84
Figure 26. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed MCA Dose for Females, Males and Children.	86
Figure 27. Histogram for Absorbed Dermal MCA Dose for Females, Males and Children.	87
Figure 28. Histogram for Absorbed Inhalation MCA Dose for Females, Males and Children.	87
Figure 29. Histograms for the Absorbed MCA Ingestion Dose for Females, Males and Children.	88
Figure 30. Histogram for the Total Absorbed MCA Dose for Females, Males and Children.	89
Figure 31. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed DCA Dose for Females, Males and Children.	91
Figure 32. Histogram for Absorbed Dermal DCA Dose for Females, Males and Children.	92

Figure 33. Histogram for Absorbed Inhalation DCA Dose for Females, Males and Children.	92
Figure 34. Histograms for the Absorbed DCA Ingestion Dose for Females, Males and Children.	93
Figure 35. Histogram for the Total Absorbed DCA Dose for Females, Males and Children.	94
Figure 36. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed TCA Dose for Females, Males and Children.	96
Figure 37. Histogram for Absorbed Dermal TCA Dose for Females, Males and Children.	97
Figure 38. Histogram for Absorbed Inhalation TCA Dose for Females, Males and Children.	97
Figure 39. Histograms for the Absorbed TCA Ingestion Dose for Females, Males and Children.	98
Figure 40. Histogram for the Total Absorbed TCA Dose for Females, Males and Children.	99
Figure 41. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed MBA Dose for Females, Males and Children.	101
Figure 42. Histogram for Absorbed Dermal MBA Dose for Females, Males and Children.	102
Figure 43. Histogram for Absorbed Inhalation MBA Dose for Females, Males and Children.	102
Figure 44. Histograms for the Absorbed MBA Ingestion Dose for Females, Males and Children.	103
Figure 45. Histogram for the Total Absorbed MBA Dose for Females, Males and Children.	104
Figure 46. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed DBA Dose for Females, Males and Children.	106
Figure 47. Histogram for Absorbed Dermal DBA Dose for Females, Males and Children.	107
Figure 48. Histogram for Absorbed Inhalation DBA Dose for Females, Males and Children.	107
Figure 49. Histograms for the Absorbed DBA Ingestion Dose for Females, Males and Children.	108
Figure 50. Histogram for the Total Absorbed DBA Dose for Females, Males and Children.	109
Figure 51. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed BCA Dose for Females, Males and Children.	111
Figure 52. Histogram for Absorbed Dermal BCA Dose for Females, Males and Children.	112
Figure 53. Histogram for Absorbed Inhalation BCA Dose for Females, Males and Children.	112
Figure 54. Histograms for the Absorbed BCA Ingestion Dose for Females, Males and Children.	113
Figure 55. Histogram for the Total Absorbed BCA Dose for Females, Males and Children.	114
Figure 56. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed DCAN Dose for Females, Males and Children.	116
Figure 57. Histogram for Absorbed Dermal DCAN Dose for Females, Males and Children.	117
Figure 58. Histogram for Absorbed Inhalation DCAN Dose for Females, Males and Children.	117
Figure 59. Histograms for the Absorbed DCAN Ingestion Dose for Females, Males and Children.	118
Figure 60. Histogram for the Total Absorbed DCAN Dose for Females, Males and Children.	119
Figure 61. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed TCAN Dose for Females, Males and Children.	121
Figure 62. Histogram for Absorbed Dermal TCAN Dose for Females, Males and Children.	122
Figure 63. Histogram for Absorbed Inhalation TCAN Dose for Females, Males and Children.	122
Figure 64. Histograms for the Absorbed TCAN Ingestion Dose for Females, Males and Children.	123
Figure 65. Histogram for the Total Absorbed TCAN Dose for Females, Males and Children.	124
Figure 66. Cumulative Distribution Function for the Dermal, Ingestion, Inhalation, and Total Absorbed DBAN Dose for Females, Males and Children.	126
Figure 67. Histogram for Absorbed Dermal DBAN Dose for Females, Males and Children.	127

Figure 68. Histogram for Absorbed Inhalation DBAN Dose for Females, Males and Children.....	127
Figure 69. Histograms for the Absorbed DBAN Ingestion Dose for Females, Males and Children.	128
Figure 70. Histogram for the Total Absorbed DBAN Dose for Females, Males and Children.	129
Figure 71. Comparison of Estimated Dermal Absorbed Chloroform Dose Across the Range of Uncertainty in the Permeability Coefficient	130
Figure 72. Comparison of Estimated Dermal Absorbed DCA Dose Across the Range of Uncertainty in the Permeability Coefficient	131
Figure 73. Comparison of Estimated Dermal Absorbed TCA Dose Across the Range of Uncertainty in the Permeability Coefficient	132
Figure 74. Schematic Representation of House Interzonal Air Flows for the Base-case Sensitivity Analysis.....	154
Figure 75. Predicted Chloroform Air Concentrations for the Base-case Scenario.....	164
Figure 76. Predicted DCA Air Concentrations for the Base-case Scenario	165
Figures 77a and b. Dose Metric Curves for Chloroform: Absorbed Dose and Amount Metabolized in the Liver	166
Figures 77c and d. Dose Metric Curves for Chloroform: AUC in the Liver and AUC in the Testes	167
Figures 77e and f. Dose Metric Curves for Chloroform: Concentration in the Liver and Concentration in the Testes	168
Figures 78a and b. Dose Metric Curves for DCA: Absorbed Dose and Amount Eliminated in the Liver.....	169
Figures 78c and d. Dose Metric Curves for DCA: AUC in the Liver and AUC in the Testes.....	170
Figures 78e and f. Dose Metric Curves for DCA: Concentration in the Liver and Concentration in the Testes	171